

## Einfach. Sicher.



#### **DECLARATION OF PERFORMANCE**

DoP: 0062

for Upat Drop-in Anchor USA (Metal anchors for use in concrete (heavy-duty type)) - EN

- 1. Unique identification code of the product-type: DoP: 0062
- 2. Intended use/es: Post-installed fastening in uncracked concrete, see appendix, especially Annexes B 1 to B 4
- 3. Manufacturer: Upat Vertriebs GmbH, Bebelstraße 11, 79108 Freiburg im Breisgau, Germany
- 4. Authorised representative: --
- 5. System/s of AVCP: 1
- 6. European Assessment Document: EAD 330232-00-0601

European Technical Assessment: ETA-10/0172; 2017-04-25

Technical Assessment Body: DIBt

Notified body/ies: 1343 - MPA Darmstadt

7. Declared performance/s:

Mechanical resistance and stability (BWR 1)

Characteristic resistance for static and quasi static action, displacements: See appendix, especially Annexes C 1 to C 4

Safety in case of fire (BWR 2)

- Reaction to fire: Anchorages satisfy requirements for Class A 1
- Resistance to fire: NPD

8. Appropriate Technical Documentation and/or Specific Technical Documentation: ---

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Andreas Bucher, Dipl.-Ing.

Wolfgang Hengesbach, Dipl.-Ing., Dipl.-Wirtsch.-Ing.

1.V. A. BULL

i. V. W. Kgelal

Tumlingen, 2017-05-16

- This DoP has been prepared in different languages. In case there is a dispute on the interpretation the english version shall always prevail.
- The Appendix includes voluntary and complementary information in English language exceeding the (language-neutrally specified) legal requirements.

#### Specific Part

#### 1 Technical description of the product

The Upat Drop-in Anchor USA is an anchor made of galvanized or stainless steel which is placed into a drilled hole and anchored by deformation-controlled expansion.

The fixture shall be anchored with a fastening screw or threaded rod.

The product description is given in Annex A.

# 2 Specification of the intended use in accordance with the applicable European Assessment Document

The performances given in Section 3 are only valid if the anchor is used in compliance with the specifications and conditions given in Annex B.

The verifications and assessment methods on which this European Technical Assessment is based lead to the assumption of a working life of the anchor of at least 50 years. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.

#### 3 Performance of the product and references to the methods used for its assessment

#### 3.1 Mechanical resistance and stability (BWR 1)

| Essential characteristic   | Performance          |
|--|----------------------|
| Characteristic resistance for static and quasi-static loading, displacements | See Annex C 1 to C 4 |

#### 3.2 Safety in case of fire (BWR 2)


| Essential characteristic | Performance                                     |
|--------------------------|---|
| Reaction to fire         | Anchorages satisfy requirements for<br>Class A1 |
| Resistance to fire       | No performance assessed                         |


# 4 Assessment and verification of constancy of performance (AVCP) system applied, with reference to its legal base

In accordance with European Assessment Documents EAD No. 330232-00-0601 the applicable European legal act is: [96/582/EC].


The system to be applied is: 1

Appendix 2 / 12





#### Appendix 4 / 12



Upat Drop-in Anchor USA

Product description Material Annex A 3

#### Specifications of Intended use

#### Anchorages subject to:

Static and quasi-static loads

#### **Base materials:**

- Reinforced or unreinforced normal weight concrete according to EN 206-1:2000
- Strength classes C20/25 to C50/60 according to EN 206-1:2000
- Non-cracked concrete: all sizes

#### Use conditions (Environmental conditions):

- Structures subject to dry internal conditions (zinc coated steel or stainless steel)
- Structures subject to external atmospheric exposure (including industrial and marine environment) and to permanently damp internal condition, if no particular aggressive conditions exist (stainless steel)

Note: Particular aggressive conditions are e.g. permanent, alternating immersion in seawater or the splash zone of seawater, chloride atmosphere of indoor swimming pools or atmosphere with extreme chemical pollution (e.g. in desulphurization plants or road tunnels where de-icing materials are used)

#### Design:

- Anchorages are designed under the responsibility of an engineer experienced in anchorages and concrete work
- Verifiable calculation notes and drawings are prepared taking into account the loads to be anchored. The position of the anchor is indicated on the design drawings (e. g. position of the anchor relative to reinforcement or to supports, etc.)
- Design of fastenings in accordance to FprEN 1992-4:2016 and EOTA Technical Report TR 055.
- Fasteners can be used as a single fixing for use in structural application.

#### Installation:


- Anchor installation carried out by appropriately qualified personnel and under the supervision of the person responsible for technical matters of the site
- · Create drill hole with hammer drill or with hollow drill and vacuum cleaner
- · The anchor may only be used once
- In case of aborted hole: New hole must be drilled at a minimum distance of twice the depth of the aborted hole or closer, if the hole is filled with a high strength mortar and only if the hole is not in the direction of the oblique tensile or shear load
- Anchor expansion by impact using the setting tools given in Annex B 3. The anchor is property set if the stop of the setting tool reaches the expansion sleeve. The manual setting tool with installation control leaves a visible mark on the sleeve, as illustrated in Annex B 3 and B 4


## Upat Drop-in Anchor USA

Intended Use Specifications

| Anchor size                 |                        |      |       |       |       |        |        |        | 0        |        |        |
|-----------------------------|------------------------|------|-------|-------|-------|--------|--------|--------|----------|--------|--------|
|                             |                        |      | M6x30 | M8x30 | M8x40 | M10x30 | M10x40 | M12x50 | M12x50 D | M16x65 | M20x80 |
| Nominal drill hole diameter | do                     | [mm] | 8     | 1     | 0     | 1      | 2      | 15     | 16       | 20     | 25     |
| Effective anchorage depth   | h <sub>ef</sub>        | [mm] | 30    | 30    | 40    | 30     | 40     | 5      | 0        | 65     | 80     |
| Maximum installation torque | max. T <sub>inst</sub> | [Nm] | 4     | 8     | 3     | 1      | 5      | 3      | 5        | 60     | 120    |
| Minimum drill hole depth    | h <sub>1</sub>         | [mm] | 32    | 33    | 43    | 33     | 43     | 5      | 4        | 70     | 85     |
| Minimum screw-in depth      | I <sub>s,min</sub>     | [mm] | 6     | 8     | 3     | 1      | 0      | 1      | 2        | 16     | 20     |
| Maximum screw-in depth      | I <sub>s,max</sub>     | [mm] | 14    | 14    |       | 14     | 17 2   |        | 22       |        | 34     |
| Clearance of hole diameter  | Ø d <sub>f</sub> ≤     | [mm] | 7     |       | 9     | 1      | 2      | 14     |          | 18     | 22     |
| h <sub>min</sub> = 80 mm    |                        |      |       | _     |       |        |        |        |          |        |        |
| Minimum spacing             | s <sub>min</sub>       | [mm] | 70    | 110   | 200   | 20     | 00     | -      | -        | -      | -      |
| Minimum edge distance       | C <sub>min</sub>       | [mm] | 150   | 1:    | 50    | 150    |        | -      | -        | -      | -      |
| h <sub>min</sub> = 100 mm   |                        |      |       |       |       |        |        |        |          |        |        |
| Minimum spacing             | S <sub>min</sub>       | [mm] | 65    | 7     | 0     | 90     | 150    | 20     | 00       | -      | -      |
| Minimum edge distance       | C <sub>min</sub>       | [mm] | 115   | 1     | 15    | 160    | 180    | 20     | 50       | -      | -      |
| h <sub>min</sub> = 120 mm   |                        |      |       |       |       |        |        |        |          |        |        |
| Minimum spacing             | S <sub>min</sub>       | [mm] | 65    | 7     | 0     | 85     | 95     | 14     | 45       | -      | -      |
| Minimum edge distance       | C <sub>min</sub>       | [mm] | 115   | 1     | 15    | 140    | 150    | 20     | 00       | -      | -      |
| h <sub>min</sub> = 160 mm   | -                      |      |       |       |       |        |        |        |          |        |        |
| Minimum spacing             | s <sub>min</sub>       | [mm] | 65    | 7     | 0     | 85     | 95     | 14     | 45       | 180    | -      |
| Minimum edge distance       | C <sub>min</sub>       | [mm] | 115   | 1     | 15    | 140    | 150    | 20     | 00       | 240    | -      |
| h <sub>min</sub> = 200 mm   |                        |      |       |       |       |        |        |        |          |        |        |
| Minimum spacing             | s <sub>min</sub>       | [mm] | 65    | 7     | 0     | 85     | 95     | 145    |          | 180    | 190    |
| Minimum edge distance       | C <sub>min</sub>       | [mm] | 115   | 1     | 15    | 140    | 150    | 20     | 00       | 240    | 280    |

#### hla D1 20/25 to CEO/60






Fastening screw or threaded rod:

- Minimum property class and materials according to table A1 •
- The length of the fastening screw or threaded rod shall be determined depending on • thickness of fixture  $t_{fix}$ , admissible tolerances and maximum screw length  $I_{s,max}$  as well as minimum screw-in depth  $I_{s,min}$

Upat Drop-in Anchor USA

Intended Use Installation parameters Annex B 2




## Table B3: Parameters of setting tools

| Manual setting tool | Machine setting tool | Stop drill | For anchor size<br>USA | Ø<br>D1 | Ø<br>D2 | L    |
|---------------------|----------------------|------------|------------------------|---------|---------|------|
| EHS M6x25/30        | EMS M6x25/30         | EBB 8x30   | USA M6x30              | 4,8     | 9,0     | 17,0 |
| EHS M8x25/30        | EMS M8x25/30         | EBB 10x30  | USA M8x30              | M8x30   |         | 18,0 |
| EHS M8x40           | EMS M8x40            | EBB 10x40  | USA M8x40              | 6,4     | 11,0    | 28,0 |
| EHS M10x25/30       | EMS M10x25/30        | EBB 12x30  | USA M10x30             | 7.0     | 12.0    | 18,0 |
| EHS M10x40          | EMS M10x40           | EBB 12x40  | USA M10x40             | 7,9     | 13,0    | 24,0 |
| EHS M12x50          | EMS M12x50           | EBB 15x50  | USA M12x50             | 10,2    | 16.5    | 20.0 |
| EHS M12x50          | EMS M12x50           | EBB 16x50  | USA M12x50 D           | 10,2    | 16,5    | 30,0 |
| EHS M16x65          | EMS M16x65           | EBB 20x65  | USA M16x65             | 13,5    | 22      | 36,0 |
| EHS M20x80          | EMS M20x80           | EBB 25x80  | USA M20x80             | 16,4    | 27      | 50,0 |

## Upat Drop-in Anchor USA

Intended Use Setting & Drilling tools



| Table C1: Characteris         | tic values             | for tensi                                      | ion Ic              | ads                 |          |                      |        |        |          |        |        |
|-------------------------------|------------------------|--|---------------------|---------------------|----------|----------------------|--------|--------|----------|--------|--------|
| USA                           |                        | property<br>class                              | M6x30 <sup>1)</sup> | M8x30 <sup>1)</sup> | M8x40    | M10x30 <sup>1)</sup> | M10x40 | M12x50 | M12x50 D | M16x65 | M20×80 |
| Inastallation safety factor   | γinst                  | [-]  |                     |                     |          |                      | 1,0    |        |          |        |        |
| Steel failure                 |                        |  |                     |                     |          | _                    |        |        |          |        |        |
| Characteristic resistance     | N <sub>Rk,s</sub> [kN] | A4-50  | 10,1                | 18                  | 3,3      | 29                   | 9,0    | 42     | 2,1      | 78,3   | 122,4  |
| Partial safety factor         | γ́Ms                   |  |                     |                     |          |                      | 2,86   |        |          |        |        |
| Characteristic resistance     | N <sub>Rk,s</sub> [kN] | A4-70  | 14,1                | 19                  | 9,6      | 24                   | 1,9    | 45,1   | 59,0     | 73,8   | 117,2  |
| Partial safety factor         | γ́Ms                   |  | 1,87                |                     |          | 1,5                  |        |        | 1,87     | 1      | ,5     |
| Characteristic resistance     | N <sub>Rk,s</sub> [kN] | A4-80  | 16,1                | 19                  | 9,6      | 24                   | 1,9    | 45,1   | 59,0     | 73,8   | 117,2  |
| Partial safety factor         | γMs                    |  | 1,6 1,5             |                     |          |                      |        |        |          |        |        |
| Characteristic resistance     | N <sub>Rk,s</sub> [kN] | N <sub>Rk,s</sub> [kN] steel 4.6 8,0 14,6 23,2 |                     | 33                  | 8,7      | 62,7                 | 97,9   |        |          |        |        |
| Partial safety factor         | γMs                    |  |                     |                     | 2,0      |                      |        |        |          |        |        |
| Characteristic resistance     | N <sub>Rk,s</sub> [kN] | steel 5.6                                      | 10,1                | 18                  | 8,3 29,0 |                      | 9,0    | 42,1   |          | 78,3   | 122,4  |
| Partial safety factor         | γMs                    |  |                     |                     |          |                      | 2,0    |        |          |        |        |
| Characteristic resistance     | N <sub>Rk,s</sub> [kN] | steel 5.8                                      | 10,1                | 17                  | 7,2      | 21                   | ,8     | 39,6   | 42,1     | 64,7   | 102,   |
| Partial safety factor         | γMs                    |  |                     |                     |          |                      | 1,5    |        |          |        |        |
| Characteristic resistance     | N <sub>Rk,s</sub> [kN] | steel 8.8                                      | 13,5                | 17                  | 7,2      | 21,8                 |        | 39,6   | 53,3     | 64,7   | 102,   |
| Partial safety factor         | γMs                    |  |                     |                     |          |                      | 1,5    |        |          |        |        |
| Pull-out failure not decisive | ·                      |  |                     |                     |          |                      |        |        |          |        |        |
| Concrete cone failure         |                        |  |                     |                     |          |                      |        |        |          |        |        |
| Effective anchorage depth     | h <sub>ef</sub>        | [mm]   | 3                   | 0                   | 40       | 30                   | 40     | 5      | 0        | 65     | 80     |
| Characteristic spacing        | S <sub>cr,N</sub>      | [mm]   | 9                   | 0                   | 120      | 90                   | 120    | 1:     | 50       | 195    | 240    |
| Characteristic edge distance  | C <sub>cr,N</sub>      | [mm]   | 4                   | 5                   | 60       | 45                   | 60     | 7      | 5        | 97     | 120    |
| Factor k <sub>1</sub>         | k <sub>ucr,N</sub>     | [-]  |                     |                     |          |                      | 11,0   |        |          |        |        |
| Splitting failure             |                        |  |                     |                     |          |                      |        |        |          |        |        |
| Characteristic spacing        | S <sub>cr,sp</sub>     | [mm]   | 21                  | 10                  | 280      | 210                  | 320    | 35     | 50       | 455    | 560    |
| Characteristic edge distance  | C <sub>cr,sp</sub>     | [mm]   | 10                  | )5                  | 140      | 105                  | 160    | 17     | 75       | 227    | 280    |

<sup>1)</sup> Only for application with statically indeterminate structural components.

Upat Drop-in Anchor USA

| USA                           |                                     | property<br>class | M6x30 <sup>1)</sup> | M8x30 <sup>1)</sup> | M8x40 | M10x30 <sup>1)</sup> | M10x40 | M12x50 | M12x50 D | M16x65 | M20x80 |     |     |
|-------------------------------|-------------------------------------|-------------------|---------------------|---------------------|-------|----------------------|--------|--------|----------|--------|--------|-----|-----|
| Factor for ductility          | k <sub>7</sub> [-]                  |                   |                     |                     |       |                      | 1,0    | )      |          |        |        |     |     |
| Steel failure without lever a | rm                                  |                   |                     |                     |       |                      |        |        |          |        |        |     |     |
| Characteristic resistance     | V <sub>Rk,s</sub> [kN]              | A4-50             | 5,0                 | 9,                  | 2     | 14                   | l,5    | 21     | ,1       | 39,2   | 61,2   |     |     |
| Partial safety factor         | γ́Ms                                |                   |                     |                     |       |                      | 2,38   |        |          |        |        |     |     |
| Characteristic resistance     | V <sub>Rk,s</sub> [kN]              | A4-70             | 7,0                 | 9,                  | 8     | 12                   | 2,4    | 22,6   | 29,5     | 37     | 59     |     |     |
| Partial safety factor         | γ́Ms                                |                   | 1,56                |                     |       | 1,25                 |        |        | 1,56     | 1,     | 25     |     |     |
| Characteristic resistance     | V <sub>Rk,s</sub> [kN]              | A4-80             | 8,0                 | 9,                  | 8     | 12                   | 2,4    | 22,6   | 30,4     | 36,9   | 58,6   |     |     |
| Partial safety factor         | γ́Ms                                |                   | 1,33                |                     |       |                      | 1,     | 25     |          |        |        |     |     |
| Characteristic resistance     | V <sub>Rk,s</sub> [kN]              | steel 4.6         | 4,0                 | 7,3                 |       | 11,6                 |        | 16,9   |          | 31     | 49     |     |     |
| Partial safety factor         | γ́Ms                                |                   |                     | 1,67                |       | 1,67                 | 7      |        |          |        |        |     |     |
| Characteristic resistance     | V <sub>Rk,s</sub> [kN]              | steel 5.6         | 5,0                 | 0 9,2               |       | 14                   | l,5    | 21     | ,1       | 39     | 61     |     |     |
| Partial safety factor         | γ́Ms                                |                   |                     |                     |       | 1,67                 |        |        |          |        |        |     |     |
| Characteristic resistance     | V <sub>Rk,s</sub> [kN]              | steel 5.8         | 5,0                 | 0 8,6               |       | 10,9                 |        | 19,8   | 21,1     | 32     | 51     |     |     |
| Partial safety factor         | γ́Ms                                |                   |                     | 1,25                |       |                      |        |        |          |        |        |     |     |
| Characteristic resistance     | V <sub>Rk,s</sub> [kN]              | steel 8.8         | 6,8                 | 8,                  | 6     | 10,9                 |        | 19,8   | 27       | 32     | 51     |     |     |
| Partial safety factor         | γ́Ms                                |                   |                     |                     |       |                      | 1,25   |        |          |        |        |     |     |
| Steel failure with lever arm  |                                     |                   |                     |                     |       |                      |        |        |          |        |        |     |     |
| Characteristic resistance     | M <sup>0</sup> <sub>Rk,s</sub> [Nm] | A4-50             | 8                   | 1                   | 9     | 3                    | 37     |        | 37 6     |        | 6      | 166 | 324 |
| Partial safety factor         | γ <sub>Ms</sub>                     |                   |                     |                     |       |                      | 2,38   |        |          |        |        |     |     |
| Characteristic resistance     | M <sup>0</sup> <sub>Rk,s</sub> [Nm] | A4-70             | 11                  | 2                   | 6     | 5                    | 2      | 9      | 2        | 232    | 454    |     |     |
| Partial safety factor         | γ <sub>Ms</sub>                     |                   |                     |                     |       |                      | 1,56   |        |          |        |        |     |     |
| Characteristic resistance     | M <sup>0</sup> <sub>Rk,s</sub> [Nm] | A4-80             | 12                  | 3                   | 0     | 6                    | 0      | 1(     | 05       | 266    | 519    |     |     |
| Partial safety factor         | γ <sub>Ms</sub>                     |                   |                     |                     |       |                      | 1,33   |        |          |        |        |     |     |
| Characteristic resistance     | M <sup>0</sup> <sub>Rk,s</sub> [Nm] | Stahl 4.6         | 6,1                 | 1                   | 5     | 3                    | 0      | 5      | 2        | 133    | 259    |     |     |
| Partial safety factor         | γ <sub>Ms</sub>                     |                   |                     |                     |       |                      | 1,67   |        |          |        |        |     |     |
| Characteristic resistance     | M <sup>0</sup> <sub>Rk,s</sub> [Nm] | Stahl 5.6         | 7,6                 | 1                   | 9     | 3                    | 7      | 6      | 6        | 166    | 324    |     |     |
| Partial safety factor         | γ <sub>Ms</sub>                     |                   |                     |                     |       |                      | 1,67   |        |          |        |        |     |     |
| Characteristic resistance     | M <sup>0</sup> <sub>Rk,s</sub> [Nm] | Stahl 5.8         | 7,6                 | 1                   | 9     | 3                    | 7      | 6      | 6        | 166    | 324    |     |     |
| Partial safety factor         | γ <sub>Ms</sub>                     |                   |                     |                     |       |                      | 1,25   |        |          |        |        |     |     |
| Characteristic resistance     | M <sup>0</sup> <sub>Rk,s</sub> [Nm] | Stahl 8.8         | 12                  | 3                   | 0     | 6                    | 0      | 105    |          | 266    | 517    |     |     |
| Partial safety factor         | γ <sub>Ms</sub>                     |                   |                     |                     |       |                      | 1,25   |        |          |        |        |     |     |

<sup>1)</sup> Only for application with statically indeterminate structural components.

# Upat Drop-in Anchor USA

**Performances** Characteristic values for shear loads

| Characteristic values for shear loads       |                   |                                       |       |                        |                    |        |        |        |          |        |        |    |    |
|---|-------------------|---------------------------------------|-------|------------------------|--------------------|--------|--------|--------|----------|--------|--------|----|----|
| USA   |                   |                                       | M6x30 | M8x30                  | M8x40              | M10x30 | M10x40 | M12x50 | M12x50 D | M16x65 | M20x80 |    |    |
| Concrete pry out failure                    |                   |                                       |       |                        |                    |        |        |        |          |        |        |    |    |
| Factor                                      | k <sub>8</sub>    | [-]                                   | 1,    | 74                     | 1,88 1,74 1,88 2,0 |        |        |        |          |        |        |    |    |
| Installation safety factor                  | γinst             | [-]                                   |       |                        | I                  |        | 1,0    |        |          |        |        |    |    |
| Concrete edge failure                       |                   |                                       |       |                        |                    |        |        |        |          |        |        |    |    |
| Effective length of anchor in shear loading | $I_{f} = h_{e}$   | l <sub>f</sub> = h <sub>ef</sub> [mm] |       | = h <sub>ef</sub> [mm] |                    | 0      | 40     | 30     | 40       | 5      | 50     | 65 | 80 |
| Effective diameter of anchor                | $\oslash d_{non}$ | , [mm]                                | 8     |                        | 10                 | 1      | 2      | 15     | 16       | 20     | 25     |    |    |

Upat Drop-in Anchor USA

**Performances** Characteristic values for shear loads Annex C 3

# Table C4.1:Displacements under tension and shear loads for USA<br/>in galvanised steel

| USA                              |                     |      | M6x30   | M8x30 | M8x40   | M10x30 | M10x40 | M12x50 | M12x50 D | M16x65 | M20×80 |  |
|----------------------------------|---------------------|------|---------|-------|---------|--------|--------|--------|----------|--------|--------|--|
| Tension load in C20/25 to C50/60 | Ν                   | [kN] | 4,0 6,1 |       |         | 4,0    | 6,1    | 8,5    |          | 12,6   | 17,2   |  |
| Displacement                     | $\delta_{No}$       | [mm] | 0,1     |       |         |        |        |        |          |        |        |  |
| Displacement                     | δ <sub>N∞</sub>     | [mm] |         |       |         |        | 0,2    |        |          |        |        |  |
| Shear load in C20/25 to C50/60   | V                   | [kN] | 3,9     | 4,9   |         | 6,2    |        | 11,3   | 15,2     | 18,5   | 29,4   |  |
| Displacement                     | $\delta_{Vo}$       | [mm] | 0,95    | 1,    | 00      | 1,     | 05     | 1,10   |          | 1,40   | 1,80   |  |
| Displacement                     | $\delta_{V^\infty}$ | [mm] | 1,40    | 1,    | 1,50 1, |        | 60     | ) 1,70 |          | 2,10   | 2,70   |  |

# Table C4.2:Displacements under tension and shear loads for USA<br/>in stainless steel

| USA A4                           |                      |      | M6x30   | M8x30 | M8x40 | M10x30 | M10x40    | M12x50 | M12x50 D | M16x65 | M20x80 |  |
|----------------------------------|----------------------|------|---------|-------|-------|--------|-----------|--------|----------|--------|--------|--|
| Tension load in C20/25 to C50/60 | Ν                    | [kN] | 4,0 6,1 |       |       | 4,0    | 6,1       | 8,5    |          | 12,6   | 17,2   |  |
| Displacement                     | $\delta_{\text{No}}$ | [mm] | 0,1     |       |       |        |           |        |          |        |        |  |
| Displacement                     | $\delta_{N^\infty}$  | [mm] |         |       |       |        | 0,2       |        |          |        |        |  |
| Shear load in C20/25 to C50/60   | V                    | [kN] | 3,2     | 5,6   | 7,1   |        | 12,9      | 13,5   | 21,1     | 33,5   |        |  |
| Displacement                     | $\delta_{Vo}$        | [mm] | 0,95    | 1,    | 00    | 1,     | 05        | 1,10   |          | 1,40   | 1,80   |  |
| Displacement                     | $\delta_{V\infty}$   | [mm] | 1,40    | 1,    | 50    | 1,     | 1,60 1,70 |        | 70       | 2,10   | 2,70   |  |

Performances Displacements Annex C 4