




































Domeo 2
Art. Nr. 4423719
1/12



Pos	02.09.2024 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel Art.Nr. 4423719 2/12	Arv	Profiil (mm)	Pikkus (mm)
001 49440		18	44x114	1852
002 38115		3	44x114	4956
003 38116		2	44x114	4956
004 21421		19	44x114	2912
005 38117		1	44x57	4956
006 35704		22	44x114	3000
007 35706		2	44x114	3000
008 49441		18	44x114	845
WB-1 38122		1		
IAR1 37391	Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam 	4	45x70	3000
IAR3 28458	Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam 	8	45x70	2820
IAR2 34041	Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam 	3	45x70	100
RV2 39449	Lath - Pfetten - Liteau - Piccola asse - Gordingen - Roov 	1	44x44	2796
RV1 28307	Lath - Pfetten - Liteau - Piccola asse - Gordingen - Roov 	1	44x44	2000
A-PR2 37783	Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärlin 	4	44x146	2904
A-PR1 38123	Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärlin 	4	44x146	1992
FB-1 1518	Floor boards - Fussbodenbretter - Lame de plancher - Pavimento - Vloerhout - Põrandalaud 	33	90x18.5	2908
RB-1 23889	Roof boards - Dachbretter - Voliges - Perlina per tetto - Dakhout - Katuselaud 	56	90x18.5	3000
FL-1 30087	Floor fillet - Fussbodenleiste - Corniere de finition du plancher - Finitura per pavimento (battisco pa) - Vloerafwerklijs - Põrandaliist 		18x18	12
DPL-1 9115	Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Katusepapiliist 	2	18x58	2620
DPL-2 37784	Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Katusepapiliist 	2	18x58	3138
FF1 48861	Fixing fillet - Fixirungsleiste - Profil de fixation - Massello di fissaggio - Bevestiging lijstwerk - Moldura en T - Tenderliist 	1	88x88	2110
FF2 49139	Fixing fillet - Fixirungsleiste - Profil de fixation - Massello di fissaggio - Bevestiging lijstwerk - Moldura en T - Tenderliist 	1	88x88	1060


Pos	02.09.2024 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel Art.Nr. 4423719 3/12	Arv	Profiil (mm)	Pikkus (mm)
PL2-1 37811	Railing strip - Begrenzungsleiste - Rembarde - Sbarra - Afscheidingslijst - Piirdelaud 	1	18x90	1065
PL2-2 49136	Railing strip - Begrenzungsleiste - Rembarde - Sbarra - Afscheidingslijst - Piirdelaud 	2	18x90	1990
PL2-3 37813	Railing strip - Begrenzungsleiste - Rembarde - Sbarra - Afscheidingslijst - Piirdelaud 	1	18x90	2116
P3-1 39450	Post - Pfosten - Poteau - Piede registrabile - Stijl - Post 	3	70x70	2330
P4-1 37960	Post - Pfosten - Poteau - Piede registrabile - Stijl - Poste Post 	1	88x88	2330
P4-2 47116	Post - Pfosten - Poteau - Piede registrabile - Stijl - Poste - Post 	1	88x88	2052
P4-3 48275	Post - Pfosten - Poteau - Piede registrabile - Stijl - Poste - Post 	1	88x88	2052
P5-1 39738	Post - Pfosten - Poteau - Piede registrabile - Stijl - Post 	1	90x90	2150
P5-2 39739	Post - Pfosten - Poteau - Piede registrabile - Stijl - Post 	1	90x90	2205
TB1 38126	Fascia board - Traufbrett - Bandeau de toit - Finitura lati tetto - Gevellijst - Räästalaud 	4	18x120	2620
TB2 23901	Fascia board - Traufbrett - Bandeau de toit - Finitura lati tetto - Gevellijst - Räästalaud 	2	18x120	3160
DRV-2 38127	Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Räästatugevdus 	4	80x44	2522
DRV-3 23891	Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Räästatugevdus 	2	80x44	3160
HS12 5109	Screw for metal corner - Holzschraube für metallwinkel - Vis de fixation des cornieres en métal - Viti per fissare suadretta di metallo di giunzione - Schroef voor metalen hoek - Kruvi nurgikule 	20	4x40	
HS12 5109	Screw for fascia boards - Schrauben für traufbretter - Vis pour fixation bandeau de toit - Viti x striscia del tetto - Schroef voor gevellijst - Kruvi räästalaualle 	44	4x40	
HS12 5109	Screw for beam holder - Schrauben für balkenhalter - Vis de fixation support "u" galvanisé - Vite per trave di sostegno - Schroef voor bevestiging balkhouder (gordingschoen) - Kruvi talakingale 	192	4x40	
HS12 5109	Screw for covering moulding - Schrauben für deckungsprofil - Vis de fixation profils horizontaux haut intérieur et extérieur d'encadrement de porte - Vite per cornice di copertura - Schroef voor afdekprofiel - Kruvi piirdelauale 	15	4x40	
HS12 5109	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile 	4	4x40	
HS13 5110	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile 	6	4x60	
HS13 5110	Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile 	9	4x60	
HS34 40958	Screw for wall details - Schraube für wand details - Vis pour mur details - Viti per elementi della porta - Schroef voor wand details - Kruvi seinadetailidele 	309	5x80	
HS16 5115	Screw for foundation - Schrauben zur befestigung fundament - Vis de fixations des poutrelles de fondations - Viti x fondamenta - Schroef voor fundering - Kruvi alusraamile 	16	5x90	
HS16 5115	Screw for post - Schrauben für pfosten - Vis de fixation des poteaux - Viti per inviare - Schroef voor stijlen - Kruvi postile 	9	5x90	

Pos	02.09.2024 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel Art.Nr. 4423719 4/12	Arv	Profiil (mm)	Pikkus (mm)
HS16 5115	Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour fixation corniere renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor dakrand versterking - Kruvi räästatugevdusele		44	5x90
HS16 5115	Screw for wall details - Schraube für wand details - Vis pour mur details - Viti per elementi della porta - Schroef voor wand details - Kruvi seinadetailidele		7	5x90
HS16 5115	Screw for foundation - Schrauben zur befestigung fundament - Vis de fixations des poutrelles de fondations - Viti x fondamenta - Schroef voor fundering - Kruvi alusraamile		11	5x90
HS27 39689	Screw for wall details - Schraube für wand details - Vis pour mur details - Viti per elementi della porta - Schroef voor wand details - Kruvi seinadetailidele		32	6x120
HS22 5120	Screw for 1. wall beam - Schraube für 1. bohlenreihe - Vis de fixations 1ere rangée de madriers avec poutrelles de fondations - Vite fissaggio alle fondamenta - Schroef voor 1 wandbalk - Kruvi poollauale		11	6x150
HS23 5121	Screw for wall details - Schraube für wand details - Vis pour mur details - Viti per elementi della porta - Schroef voor wand details - Kruvi seinadetailidele		237	6x180
HS20 5118	Screw for post height adjustment - Schrauben für regulierungsschraube für pfosten - Vis de fixation de support réglable de poteau - Viti per fissare ed aggiustare l'altezza del palo verticale - Schroef voor hoogte instelling stijlen - Kruvi vajumispoldile		16	6x50
HS21 5119	Screw for beam - Schrauben zur befestigung dachsparren - Vis pour solive - Viti per perline - Schroef voor balk (gording) - Kruvi talale		17	6x80
HS24 5122	Screw for wall details - Schraube für wand details - Vis pour mur details - Viti per elementi della porta - Schroef voor wand details - Kruvi seinadetailidele		3	8x220
NF2 5127	Zn nail for floor fillet - Zn nagel für fussbodenleiste - Pointe pour corniere de finition du plancher - Chiodi x fissaggio pavimento - Spijker(nagel) voor vloer afdekljst - Nael põrandaliistule		25	1.4x40
SH44 32512	Hammer block - Schlagholz - Calle de frappe - Blocco di legno da usare come cuscinetto quando si usa il martello - Slagklos - Löögiklots		1	
NF4 5137	Zn nail for roof - Zn nagel für dachbretter - Pointe pour fixation voliges de toit - Chiodi x perline tetto - Spijker(nagel) voor dakhout - Nael katuselauale		684	2x50
NF4 5137	Zn nail for floor - Zn nagel für fussbodenbretter - Clous pour plancher - Chiodi x perline pavimento - Spijker(nagel) voor vloer - Nael põrandalauale		204	2x50
CN2 5141	Metal corner - Metallwinkel - Corniere en métal - Angolo di metallo - Metalen hoek - Nurgik		2	120x80x40
NF5 5145	Zn nail for roofing felt fillet - Zn nagel für dachpappenleiste - Pointe pour baguette de fixation feutre bitumeux - Chiodi x carta bituminosa x tetto - Spijker(nagel) voor asfaltpapier afdekljst - Papiliistunael		30	2x40
BM 37607	Beam holder - Balkenhalter - Support en u galvanisé - Supporto della trave - Balkendrager (gording schoen) - Talaking		16	45x137
RP 34582	Post height adjustment - Pfostenträger verstellbar - Support réglable de poteau - Piede registrabile in altezza - Stelschroef voor stijlpost - Vajumispolt		2	D20
	To prevent splits in the wood, we recommend pre-drilling screw holes. Um der Rissbildung im Holz vorzubeugen, empfehlen wir, die Schraubenlöcher vorzubohren. Afin d'éviter le risque de fissuration du bois nous recommandons de percer auparavant les trous des vis. Per impedire avvitando le viti autofilettanti dell'insorgere di crepe nel legno, si consiglia di pre forare il legno con un trapano. Om scheuren van het hout te voorkomen, adviseren we om schroefgaten voor te boren. Ennetamaks puidu lõhenemist, soovitame kruviaugud ette puurida.			

VERSION A

Art. Nr. 4423719

Groundplan - Grundplan - Plan de masse - Planimetria - Plattegrond - Põhiplaan



02.09.2024

5/12

Technical drawing of a rectangular structure, likely a wall or partition, showing dimensions and labels.

Dimensions:

- Overall width: 300
- Overall height: 300
- Top horizontal segments: 4,5, 282, 4,5, 4,5
- Bottom horizontal segments: 4,5, 282, 4,5, 4,5
- Left vertical segments: 4,5, 52,8, 57,3, 57,3, 57,3, 57,3, 57,3, 4,5
- Right vertical segments: 4,5, 52,8, 57,3, 57,3, 57,3, 57,3, 57,3, 4,5

Labels:

- IAR3 (multiple locations)
- IAR2 (multiple locations)
- IAR1 (multiple locations)


Grid Lines:


- Horizontal: 1, 2
- Vertical: A, B, C

Technical drawing of a rectangular structure, likely a wall or partition, showing dimensions and grid lines.

The drawing is oriented horizontally. The vertical dimension is labeled $290,8$ on the left side. The horizontal dimension is labeled 9 at the top right, indicating a small offset or gap.

The structure is defined by a grid of vertical lines. The left boundary is marked with a circled 'A' at the bottom. The right boundary is marked with a circled '2' at the top and a circled '1' at the bottom. A vertical line near the left is marked with a circled 'B' at the bottom. A vertical line near the right is marked with a circled 'C' at the bottom.






VERSION B

Art. Nr. 4423719


Groundplan - Grundplan - Plan de masse - Planimetria - Plattegrond - Põhiplaan




02.09.2024


9/12


Foundation - Fundament - Fondazione - Fundamenta -
Fundering - Immutatud alusraam



Floor boards - Fussbodenbretter - Plan pose plancher
- Pavimento - Vloerhout - Põrandalaudis









VERSION A


Art. Nr. 4423719




01



02



03



VERSION A

P4-3

P3-1

Art. Nr. 4423719

04

P3-1

05

04

P3-1

P4-2

05

04

04

HS22

HS16

04

HS22

8 cm

8 cm

HS34

05

HS22

HS34

04

HS34

8 cm



8 cm

2/19

02.09.2024


VERSION A

Art. Nr. 4423719




VERSION A

Art. Nr. 4423719



02.09.2024



4/19

VERSION A

Art. Nr. 4423719

09

FF1

10

FF2

11

09

HS18

FF1

10

FF1

FF2

HS18


11

HS18

FF2

VERSION A

Art. Nr. 4423719




See the manual for
2021x2000 ALP.2S.2R.P


See the manual for
970x2000 ALP.F

02.09.2024

12







13



VERSION A

Art. Nr. 4423719



VERSION A

Art. Nr. 4423719

17

18

16

16

HS24 x 3

HS23

15

HS34

17

HS23

15


HS34

02.09.2024

18


HS23

HS34



VERSION A

Art. Nr. 4423719




19

RV2

RV1

HS21

HS21



20

RV1

HS27

P2-2

20


HS27

P2-2

4 cm

VERSION A


21



Art. Nr. 4423719

21

Det. 005



P2-1



P2-1




HS27



4 cm




22



22

15



HS23
19 pcs.

HS27






6 cm

2 cm


VERSION A

Art. Nr. 4423719




VERSION A

Art. Nr. 4423719




25

≈0,9cm




25




VERSION A

Art. Nr. 4423719




26

≈0,9cm




26



VERSION A

Art. Nr. 4423719

27



27

HS12



BM

A-PR1
A-PR2

HS12

28

28



NF4

DB

02.09.2024

14 / 19

VERSION A

Art. Nr. 4423719

29

29

29

HS34

30

AL-2

AL-5

30

AL-3

AL-5


HS29

02.09.2024


15 / 19

VERSION A


Art. Nr. 4423719




31



32




32




VERSION A


Art. Nr. 4423719




35



34



33




02.09.2024

NF4



17/19

VERSION A


Art. Nr. 4423719



36




37



VERSION A

Art. Nr. 4423719



02.09.2024

38

PL2-1

HS12

PL2-2

39

PL2-3



HS12

PL2-2






19/19

VERSION B

Art. Nr. 4423719




VERSION B



VERSION B

Art. Nr. 4423719



02.09.2024

06

HS23

HS23

07

HS23

HS34


8 cm

8 cm

3/19

VERSION B

Art. Nr. 4423719



02.09.2024

08

P4-1

HS12

HS16

MW

08

P4-1

HS16

HS12

MW

4/19

VERSION B

Art. Nr. 4423719

09

11

FF1

10

FF2

09

FF1

HS18

10

FF2

FF1

HS18


11

HS18

FF2

VERSION B

Art. Nr. 4423719




See the manual for
970x2000 ALP.F


See the manual for
2021x2000 ALP.2S.2R.P

02.09.2024

12





13



6/19


VERSION B

Art. Nr. 4423719



VERSION B

Art. Nr. 4423719



16

HS24 x 3

15

HS23

HS34

17

HS23

HS34

02.09.2024

18


HS23

HS34

8/19

VERSION B

Art. Nr. 4423719




19

RV2

RV1

HS21

HS21



20

20

RV1

HS27

HS27

P2-2


P2-2

4 cm

02.09.2024

9/19

VERSION B



Art. Nr. 4423719

21


Det. 005

P2-1

HS27

4 cm

P2-1



22

HS23
19 pcs.

15

HS27

2 cm


6 cm

02.09.2024

10 / 19


VERSION B

Art. Nr. 4423719



24


HS23



23


15

HS23



VERSION B

Art. Nr. 4423719




25

≈0,9cm

HS12

BM



25

53,8

4,5

53,8

4,5

53,8

4,5

53,8

4,5

53,8

≈0,9cm

RV2


Det.005

02.09.2024

12 / 19

VERSION B

Art. Nr. 4423719




26

≈0,9cm

HS12

BM



26

56

4,5

53,8

4,5

53,8

4,5

53,8

4,5

51,6

RV1

≈0,9cm


Det.005

02.09.2024

13/19

VERSION B

Art. Nr. 4423719



27

A-PR1
A-PR2

HS12

BM

HS12

28



NF4


DB

02.09.2024



14 / 19

VERSION B


Art. Nr. 4423719



29




30





VERSION B


Art. Nr. 4423719



31




32




VERSION B


Art. Nr. 4423719




35



34



33




02.09.2024



17/19

VERSION B


Art. Nr. 4423719



36




37




VERSION B


Art. Nr. 4423719



38



39



Pos	Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Elementos - Tükítabel Art.Nr. 4423719	1/3	Q	P (mm)	L (mm)
FF1 48861	Fixing fillet - Fixierungsleiste - Profil de fixation - Massello di fissaggio - Bevestiging lijstwerk - Moldura en T - Tenderliist		1	88x88	2110
FF2 49139	Fixing fillet - Fixierungsleiste - Profil de fixation - Massello di fissaggio - Bevestiging lijstwerk - Moldura en T - Tenderliist		1	88x88	1060

Adjustments for reverse assembly - Anpassungen für umgekehrte Montage - Réglages pour montage inversé - Regolazioni per il montaggio inverso - Aanpassingen voor omgekeerde montage - Ajustes para montaje inverso - Muudatused teistpidi montaažiks

