



*Canberra*  
*Art. Nr. 4412193018.12*  
*1/9*




05.04.2022


Groundplan - Grundplan - Plan de masse - Planimetria - Plattegrond - Põhiplaan







Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam































Roof plan - Dach-plan - Plan du toit - Piano del tetto - Dak plattegrond - Katuseplan















| Pos  | 05.04.2022 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel<br>Art.Nr. 4412193 7/9                                                                                                                                            | Q  | P<br>(mm) | L<br>(mm) |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----------|-----------|
| 001  |                                                                                                                                                                           | 36 | 44x114    | 700       |
| 005  |                                                                                                                                                                           | 18 | 44x114    | 3800      |
| 006  |                                                                                                                                                                          | 1  | 44x57     | 5600      |
| 007  |                                                                                                                                                                          | 19 | 44x114    | 5600      |
| 008  |                                                                                                                                                                           | 2  | 44x114    | 995       |
| 009  |                                                                                                                                                                           | 14 | 44x114    | 551       |
| 010  |                                                                                                                                                                           | 2  | 44x114    | 795       |
| 011  |                                                                                                                                                                          | 1  | 44x57     | 4320      |
| 012  |                                                                                                                                                                           | 1  | 44x57     | 435       |
| 013  |                                                                                                                                                                         | 13 | 44x114    | 4320      |
| 014  |                                                                                                                                                                         | 21 | 44x114    | 435       |
| 015  |                                                                                                                                                                         | 8  | 44x114    | 435       |
| 016  |                                                                                                                                                                        | 1  | 44x114    | 6000      |
| W1-1 |                                                                                                                                                                        | 1  |           |           |
| W2-1 |                                                                                                                                                                        | 1  |           |           |
| IAR1 | Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam<br>                                                                                   | 2  | 45x70     | 5310      |
| IAR2 | Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam<br>                                                                                    | 1  | 45x70     | 3600      |
| IAR3 | Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam<br>                                                                                    | 2  | 45x70     | 650       |
| SR1  | SARIKAD<br>                                                                                                                                                             | 8  | 44x140    | 4230      |
| DB1  | Roof boards - Dachbretter - Voliges - Perlina per tetto - Dakhout - Katuselaud                                                                                        | 46 | 90x18     | 3198      |
| DB2  | Roof boards - Dachbretter - Voliges - Perlina per tetto - Dakhout - Katuselaud                                                                                        | 46 | 90x18     | 2802      |
|      | Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Katusepapiiliist  | 2  | 18x58     | 2960      |
|      | Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Katusepapiiliist  | 2  | 18x58     | 4264      |

| Pos     | 05.04.2022 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel<br>Art.Nr. 4412193 8/9                                                                                                                                                                                                                      | Q   | P<br>(mm) | L<br>(mm) |
|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|-----------|
| KL1     | Treaded rod m10 - Gewindestange m10 - Tige filetée m10 - Barra filettata passo m10 -<br>Draadstang 10m - Keermelatt                                                                                                                                  | 2   |           | 245       |
| KL2     | Treaded rod m10 - Gewindestange m10 - Tige filetée m10 - Barra filettata passo m10 -<br>Draadstang 10m - Keermelatt                                                                                                                                  | 2   |           | 365       |
| KL1/KL2 | Treaded rod m10 - Gewindestange m10 - Tige filetée m10 - Barra filettata passo m10 -<br>Draadstang 10m - Keermelatt                                                                                                                                  | 4   |           | 2000      |
| DRV1    | Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit -<br>Rinforzo x tetto - Dakrand versterking - Räästatugevdus                                                                                                    | 4   | 28x34     | 300       |
| DRV2    | Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit -<br>Rinforzo x tetto - Dakrand versterking - Räästatugevdus                                                                                                    | 2   | 28x34     | 3505      |
| TB1     | Fascia board - Traufbrett - Bandeau de toit - Finitura lati tetto - Gevellijst -<br>Räästalaud                                                                                                                                                      | 6   | 18x90     | 2802      |
| TB2     | Fascia board - Traufbrett - Bandeau de toit - Finitura lati tetto - Gevellijst -<br>Räästalaud                                                                                                                                                      | 6   | 18x90     | 3198      |
| TB3     | Fascia board - Traufbrett - Bandeau de toit - Finitura lati tetto - Gevellijst -<br>Räästalaud                                                                                                                                                      | 6   | 18x90     | 4264      |
| BL      | Fixing slat for gable moulding - Befestigungsleiste - Renforts planches de rives -<br>Stecca per fissare i distanziatori - Bevestigingslat afstandhouders - Viilulaua kinnitus                                                                      | 10  | 28x34     | 220       |
|         | Lengthening bolt for treaded rod - Verlängerungsmutter für gewindestange - Manchon<br>de raccordement de tige filetée - Bullone per barra filettata passo - Extensie moer<br>voor draadstang - Keermelati jätkumutter                              | 4   | D10       |           |
| HS9     | Screw for gable moulding fixing slat - Schrauben für befestigungs - leiste - Vis de<br>fixation renforts planches de rives - Viti per distanziatore della stecca di fissaggio -<br>Schroef voor afstand houder lat - Kruvi viilulaua kinnitusele  | 20  | 3.5x50    |           |
| HS12    | Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour<br>fixation corniere renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor<br>dakrand versterking - Kruvi räästatugevdusele                       | 20  | 4x40      |           |
| HS12    | Screw for fascia boards - Schrauben für traufbretter - Vis pour fixation bandeau de<br>toit - Viti x striscia del tetto - Schroef voor gevellijst - Kruvi räästalaule                                                                             | 120 | 4x40      |           |
| HS16    | Screw for 1. wall beam - Schraube für 1. bohlenreihe - Vis de fixations 1ere rangée de<br>madriers avec poutrelles de fondations - Vite fissaggio alle fondamenta - Schroef voor<br>1 wandbalk - Kruvi poollauale                                 | 8   | 5x90      |           |
| HS16    | Screw for foundation - Schrauben zur befestigung fundament - Vis de fixations des<br>poutrelles de fondations - Viti x fondamenta - Schroef voor fundering - Kruvi<br>alusraamile                                                                 | 4   | 5x90      |           |
| HS22    | Screw for rafter - Schrauben für dachsparren - Vis pour chevron - Vite per trave -<br>Schroef voor dakspar - Kruvi sarikatele                                                                                                                     | 16  | 6x150     |           |
| HS23    | Screw for wall details - Schraube für wand details - Vis pour mur details - Viti per<br>elementi della porta - Schroef voor wand details - Kruvi seinadetailidele                                                                                 | 32  | 6x180     |           |
|         | Hammer block - Schlagholz - Calle de frappe - Blocco di legno da usare come cuscinetto<br>quando si usa il martello - Slagklos - Löögiklots                                                                                                       | 1   |           |           |
|         | Drive nut treaded rod - Einschlagmutter für gewindestange - Écrou a frapper pour tige<br>filitée - Dado guida per barra filettata - Aandrijfmoer / aanslagmoer voor draadstang<br>- Löökmutter keermelatile                                       | 4   | D10       |           |
| SFS     | Nut for treaded rod - Mutter für gewindestange - Écrou pour tige filetée - Dado per<br>barra filettata - Moer voor draadstang - Mutter keermelatil                                                                                                | 4   | D10       |           |
| NF4     | Zn nail for roof - Zn nagel für dachbretter - Pointe pour fixation voliges de toit -<br>Chiodi x perline tetto - Spijker(nagel) voor dakhout - Nael katuselauale                                                                                  | 530 | 2x50      |           |
| NF5     | Zn nail for roofing felt fillet - Zn nagel für dachpappenleiste - Pointe pour baguette de<br>fixation feutre bitumeux - Chiodi x carta bituminosa x tetto - Spijker(nagel) voor<br>asfaltpapier afdeklijst - Papiliistunael                       | 32  | 2x40      |           |
|         | Plain washer treaded rod - Unterlegscheibe für gewindestange - Rondelle plate pour<br>tige filetée - Rondella per barra filettata - Sluitring voor draadeind - Seib keermelatile                                                                  | 4   | D10       |           |

[illegible]

| Pos | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel<br>1500x410 AK.1.100.TMM0.k MGC                                                                                       | 1/1 | Q | P<br>(mm) | L<br>(mm) |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|-----------|-----------|
|     | <p>Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 1420x330 mm</p>  |     |   |           |           |

| Pos  | 16.11.2017                                                                                                                                                                                   | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel<br>835x1957 UK.3.030.TMVP.MM MGC                                                                                                                                                                                          | 1/1 | Q                                                                                     | P<br>(mm) | L<br>(mm) |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|-----------|-----------|
|      |                                                                                                                                                                                              | <p>Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 561x465 mm</p>   <p>735x1873 mm</p> |     |                                                                                       |           |           |
| HS25 | Screw for doorstep - Schrauben für swelle - Vis pour fixation barre de seuil - Vite per soglia della porta - Schroef voor deurdorpel - Kruvi lävepakule                                      |                                                                                                                                                                                                                                                                                                           |     |  | 2         | 4.5x65    |
| HS16 | Screw for door jamb - Schraube für türrahmen - Vis de fixation partie haute avec montants du cadre de porte - Viti x fissaggio montanti porte - Schroef voor deurkozijn - Kruvi ukse lengile |                                                                                                                                                                                                                                                                                                           |     |  | 4         | 5x90      |
| TL4  | Door handle fittings - Türgriff - Poignee de porte - Maniglie - Deurhendel / klink - Ukse käepide                                                                                            |                                                                                                                                                                                                                                                                                                           |     |  | 1         |           |
| TL5  | Set of door lock covers - Schlossblenden - Set de garnitures de porte - Copertura serrature - Slot sluitplaat set - Ukse lukuplaat                                                           |                                                                                                                                                                                                                                                                                                           |     |  | 1         |           |
|      | Cylinder lock - Zylinderschloss - Barillet de porte - Serratura - Cylinder slot - Ukse lukusüdamik                                                                                           |                                                                                                                                                                                                                                                                                                           |     |  | 1         | 30x35     |
|      | Male bolt hinge for door - Türband - Partie male de paumelle de porte - Cerniera anube x porta - Scharnier bout - Ukse polthing isane                                                        |                                                                                                                                                                                                                                                                                                           |     |  | 3         |           |